


### **Finishes**



#### Standard Handles



Brite Brass and Powder Coat Finishes

All Finishes

Powder Coat Finishes

Satin Nickel & Powder Coat Finishes

vder All Finish

All Finishes

Powder Coat Finishes

All Finishes

Satin Nickel and Powder Coat Finishes



# Measuring Guide






Flush Hearth Firebox floor flush with hearth



Raised Hearth Firebox floor lower than hearth



Raised Firebox Firebox floor higher than hearth



Hole in Wall Firebox floor greatly higher than hearth

Height to Fascia	
------------------	--

Height to Fascia

Height to Fascia

Height to Lintel

Height to Lintel

Height to Lintel

Height to Lintel

Depth to Lintel

Depth to Lintel

Depth to Lintel

Depth to Lintel

Height measurement taken from?

Hearth

Firebox Floor

Opening Width

Opening Width

Opening Width

Opening Width

Opening Width 2" back


Opening Width 2" back


Opening Width 2" back

Opening Width 2" back

Hearth to Firebox Floor

Hearth to Firebox Floor








## Measuring Guide

for Prefabricated Fireplaces



Opening Width

Opening Height

Opening Width 2" Back

Does any fascia material interfere with mounting the door?

3 sided overlap or 4 sided overlap?

Did you remove the exisiting tracks?


Is there a damper handle?

Any other obstructions?



## Measuring Guide

for Direct Vent or Recirculating Fireplaces



\* A + B + C = D

\*Brookfield ZC Deluxe & DV Deluxe with Louvers must have minimum of 5" louver height