



Built-in and Plug-in

# ELECTRIC FIREBOXES

 **Dimplex**<sup>®</sup>







The Future of  
Fireplaces is Clear.™

## Revillusion Firebox Features


 **Revillusion® Flame Technology**  
Flames are larger, brighter and more random, appearing from within the logs.


 **Mirage™ Flame Panel**  
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.

 **ThruView™ Full-depth Design**  
See clear through the flames to the back of a masonry fireplace for a more authentic experience.


 **Color Enhancement**  
Adjust the flame base color to red or blue.

 **Mood Lighting**  
Customize the firebox glow with a choice of warm hues, plus midnight mode.

 **Brightness and Flicker**  
Adjust light level to suit the room and choose flicker effect for enhanced firelight.

 **Realogs® Plus**  
A full grate of life-size hardwood-cast logs, tiered for greater depth.

 **Hidden Heat**  
Fan-forced ceramic heater provides hidden comfort for any space.


 **Direct-wire**  
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).


## Revillusion Built-in Electric Fireboxes



**RBF24DLX** Shown with Installation Trim (RBF24TRIM40)  
24" Electric Fireplace Insert / Firebox

25<sup>1</sup>/<sub>4</sub>" x 22<sup>7</sup>/<sub>8</sub>" x 12" (WxHxD)  
64.0 cm x 58.1 cm x 30.5 cm

 **ComfortSaver Heating System**

 **Just Plug It In** - Comes ready to plug in, can be hardwired.


**RBF24DLXWC**

Also available with Weathered Grey firebox interior



**RBF30** Shown with Installation Trim (RBF30TRIM38)  
30" Built-in Electric Firebox

31<sup>1</sup>/<sub>4</sub>" x 26<sup>5</sup>/<sub>8</sub>" x 12<sup>1</sup>/<sub>8</sub>" (WxHxD)  
79.2 cm x 67.6 cm x 30.7 cm

 **Direct-wire**





**RBF36** Shown with Single Glass Pane (RBFGLOSS36)  
36" Built-in Electric Firebox  
37<sup>1</sup>/<sub>4</sub>" x 26<sup>5</sup>/<sub>8</sub>" x 12<sup>1</sup>/<sub>8</sub>" (WxHxD)  
94.4 cm x 67.7 cm x 30.7 cm

Direct-wire



**RBF36P** Shown with Single Glass Pane (RBFGLOSS36P)  
36" Portrait Built-in Electric Firebox  
37<sup>1</sup>/<sub>4</sub>" x 31<sup>1</sup>/<sub>8</sub>" x 12<sup>1</sup>/<sub>8</sub>" (WxHxD)  
94.4 cm x 78.8 cm x 30.7 cm

Direct-wire



**RBF42** Shown with Double Glass Doors (RBFDOOR42)  
42" Built-in Electric Firebox  
43<sup>1</sup>/<sub>4</sub>" x 31<sup>1</sup>/<sub>8</sub>" x 12<sup>1</sup>/<sub>8</sub>" (WxHxD)  
109.8 cm x 78.8 cm x 30.7 cm

Direct-wire

## Accessories

### Double Glass Doors

Functional doors with tempered glass



**RBFDOOR30**  
33<sup>7</sup>/<sub>8</sub>" x 27<sup>1</sup>/<sub>4</sub>" x 1<sup>7</sup>/<sub>8</sub>" (WxHxD)  
(85.9cm x 69.4cm x 4.67cm)

**RBFDOOR36**  
39<sup>7</sup>/<sub>8</sub>" x 27<sup>1</sup>/<sub>4</sub>" x 1<sup>7</sup>/<sub>8</sub>" (WxHxD)  
(101.1cm x 69.4cm x 4.67cm)

**RBFDOOR36P**  
39<sup>7</sup>/<sub>8</sub>" x 31<sup>3</sup>/<sub>4</sub>" x 1<sup>7</sup>/<sub>8</sub>" (WxHxD)  
(101.1cm x 80.8cm x 4.67cm)

**RBFDOOR42**  
45<sup>7</sup>/<sub>8</sub>" x 31<sup>3</sup>/<sub>4</sub>" x 1<sup>7</sup>/<sub>8</sub>" (WxHxD)  
(116.5cm x 80.8cm x 4.67cm)

### Installation Trim

Ideal for retrofit and fireplace insert applications.



**RBF24TRIM36**  
36" x 32" x 1<sup>5</sup>/<sub>8</sub>" (WxHxD)  
(91.4cm x 81.3cm x 4.0cm)

**RBF24TRIM40**  
40" x 32" x 1<sup>5</sup>/<sub>8</sub>" (WxHxD)  
(101.6cm x 81.3cm x 4.0cm)

**RBF30TRIM38**  
38" x 28<sup>5</sup>/<sub>8</sub>" x 1<sup>5</sup>/<sub>8</sub>" (WxHxD)  
(96.5cm x 80.3cm x 4.0cm)

**RBF30TRIM44**  
44" x 34<sup>5</sup>/<sub>8</sub>" x 1<sup>5</sup>/<sub>8</sub>" (WxHxD)  
(111.8cm x 87.9cm x 4.0cm)

### Single Glass Pane

Tempered front glass.



**RBFGLASS30**  
29<sup>1</sup>/<sub>4</sub>" x 22<sup>1</sup>/<sub>8</sub>" x <sup>3</sup>/<sub>4</sub>" (WxHxD)  
(74.0cm x 56.0cm x 1.62cm)

**RBFGLASS36**  
35<sup>1</sup>/<sub>8</sub>" x 22<sup>1</sup>/<sub>8</sub>" x <sup>3</sup>/<sub>4</sub>" (WxHxD)  
(89.1cm x 56.0cm x 1.62cm)

**RBFGLASS36P**  
35<sup>1</sup>/<sub>8</sub>" x 26<sup>5</sup>/<sub>8</sub>" x <sup>3</sup>/<sub>4</sub>" (WxHxD)  
(89.1cm x 67.5cm x 1.62cm)

**RBFGLASS42**  
41<sup>1</sup>/<sub>8</sub>" x 26<sup>5</sup>/<sub>8</sub>" x <sup>3</sup>/<sub>4</sub>" (WxHxD)  
(104.5cm x 67.5cm x 1.62cm)

### RBFPLUG

Optional 120V plug kit for RBF fireboxes.





## Revillusion Electric Log Sets



### RLG20

23<sup>3</sup>/<sub>4</sub>" x 19" x 12<sup>1</sup>/<sub>2</sub>" (WxHxD)  
60.3 cm x 48.2 cm x 31.7 cm

### REM-KIT

Ash Mat for RLG20  
18<sup>7</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>8</sub>" x 5<sup>5</sup>/<sub>8</sub>" (WxHxD)  
47.8 cm x 3.0 cm x 14.1 cm



### RLG25

25<sup>5</sup>/<sub>8</sub>" x 19" x 13" (WxHxD)  
65.0 cm x 48.2 cm x 32.9 cm

## Plug-in Electric Fireboxes



### DF3015

30" Firebox with Logs  
31<sup>1</sup>/<sub>2</sub>" x 26<sup>1</sup>/<sub>2</sub>" x 11<sup>1</sup>/<sub>4</sub>" (WxHxD)  
80.0 cm x 67.0 cm x 28.4 cm  
120 V | 1,500 W | 5,118 BTU

- Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Heater Disable



### DF3033ST

33" Firebox with Logs  
33<sup>1</sup>/<sub>8</sub>" x 23<sup>3</sup>/<sub>8</sub>" x 9<sup>5</sup>/<sub>8</sub>" (WxHxD)  
84.1 cm x 59.4 cm x 24.2 cm  
120 V | 780 W | 2,661 BTU

- Inner glow logs
- Adjustable flame speed and interior light controls
- Heater Disable
- Direct-wire option



### DF3215

32" Firebox with Logs  
36<sup>1</sup>/<sub>2</sub>" x 31<sup>3</sup>/<sub>4</sub>" x 13<sup>1</sup>/<sub>8</sub>" (WxHxD)  
92.7 cm x 80.1 cm x 33.3 cm  
120 V | 1,500 W | 5,118 BTU

- Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Bi-fold doors and mesh screens
- Heater Disable

\*Rear-loading design – see Owner's Manual for framing details.

## Plug-in Firebox Features



### The Original Dimplex Flame Effect™

A blend of technology, artistry and craftsmanship that sets the standard for realism.



### Supplemental Heating

Includes a fan-forced heater that provides supplemental warmth for small spaces up to 400 square feet.



### Thermostat Control

Provides temperature control to ensure consistent comfort.



### All-season Flames

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.



### Cool-touch Glass

Glass remains cool making it safe for children and pets in any location.



### Multi-function Remote

Control 100% of the fireplace features from the comfort of your chair.



### Just Plug It In

Simply plug into any standard household outlet for instant ambiance.

# Plug-in Electric Fireboxes - Multi-Fire XD®



**PF2325HL**  
25" Multi-Fire XD Firebox  
- Realogs®  
25<sup>7</sup>/<sub>8</sub>" x 18<sup>7</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>4</sub>" (WxHxD)  
65.7 cm x 47.9 cm x 23.3 cm  
120 V | 1,500 W | 5,118 BTU

 **Heater Disable**



**PF2325HG**  
Also available  
with Acrylic Ice



**PF2325CG**  
25" Multi-Fire XD Curved Glass  
Firebox - Acrylic Ice  
25<sup>7</sup>/<sub>8</sub>" x 18<sup>7</sup>/<sub>8</sub>" x 10<sup>1</sup>/<sub>8</sub>" (WxHxD)  
65.7 cm x 47.9 cm x 25.5 cm  
120 V | 1,500 W | 5,118 BTU

 **Heater Disable**



**PF3033HL**  
33" Multi-Fire XD Firebox  
- Realogs®  
32<sup>7</sup>/<sub>8</sub>" x 23<sup>3</sup>/<sub>8</sub>" x 9<sup>3</sup>/<sub>8</sub>" (WxHxD)  
83.7 cm x 59.3 cm x 23.8 cm  
120 V | 1,500 W | 5,118 BTU

 **Heater Disable**





**PF3033HG**  
33" Multi-Fire XD Firebox  
- Acrylic Ice  
32<sup>7</sup>/<sub>8</sub>" x 23<sup>3</sup>/<sub>8</sub>" x 9<sup>3</sup>/<sub>8</sub>" (WxHxD)  
83.7 cm x 59.3 cm x 23.8 cm  
120 V | 1,500 W | 5,118 BTU


 **Heater Disable**

## Multi-Fire XD Features


 **Multi-Fire XD® Flame Effect**  
Vivid flames that are brighter and more lifelike day or night.


 **Realogs®**  
Molded from meticulously selected and charred hardwood and positioned to maximize the illusion of depth and the appearance of burning firewood.

 **Media Accent Colors**  
Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.

 **Flame Accent Colors**  
Accent the flames with custom base colors from warm red to gas blue.

 **ComfortSaver™ Heating System**  
The patented ComfortSaver™ ceramic heating system warms up to 1,000 sq. ft. and uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.

 **Precision Thermostat**  
Electronic thermostat maintains room temperature within 1/2°C (1°F) for perfect comfort and increased energy efficiency.

 **Mood-maker Remote**  
Customize the light color and intensity for a fireplace that reflects your personality.

 **All-season Flames**  
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

Built-in applications require ventilation for proper heater operation. See owner's manual for complete details.



# Built-in Electric Fireboxes

## 33" Slimline Built-in Firebox

**BFSL33** | 33" Slimline Built-in Firebox  
Includes 3-piece removable trim kit (not shown)

32<sup>3</sup>/<sub>4</sub>" x 28<sup>1</sup>/<sub>4</sub>" x 9<sup>1</sup>/<sub>2</sub>" (WxHxD)  
83.2 cm x 71.8 cm x 24.1 cm

120 Volts | 1,223 Watts | 4,178 BTU  
208 Volts | 1,823 Watts | 6,227 BTU  
240 Volts | 2,423 Watts | 8,278 BTU

- Inner glow logs
- 3 Stage Remote
- Operates with or without heat

### Doors & Trim Kits

#### BFSL33DOOR

Single pane, tamperproof glass.



## 39" Built-in Firebox

**BF39DXP** | 39" Built-in Firebox  
Shown with tamperproof glass door

38<sup>3</sup>/<sub>4</sub>" x 32<sup>3</sup>/<sub>4</sub>" x 15<sup>1</sup>/<sub>4</sub>" (WxHxD)  
98.4 cm x 83.2 cm x 38.9 cm

120 Volts | 1,440 Watts | 5,000 BTU  
208 Volts | 2,100 Watts | 7,200 BTU  
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

### Doors & Trim Kits

#### BFGLOSS39BLK

39" Tamperproof Glass Door

#### BFSDOOR39BLK

39" Glass Swing Doors, Black Accents

#### BFDOOR39BLKSM

39" Bi-fold Look Glass Door

#### BF4TRIM39

4-piece Trim Kit, Black



## 33" Built-in Firebox

**BF33DXP** | 33" Built-in Firebox

32<sup>3</sup>/<sub>4</sub>" x 28<sup>1</sup>/<sub>2</sub>" x 14<sup>1</sup>/<sub>4</sub>" (WxHxD)  
83.2 cm x 73.5 cm x 36.2 cm

120 Volts | 1,440 Watts | 5,000 BTU  
208 Volts | 2,100 Watts | 7,200 BTU  
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

### Doors & Trim Kits

#### BFGLOSS33BLK

33" Tamperproof Glass Door

#### BFSDOOR33BLK

33" Glass Swing Doors, Black Accents

#### BFDOOR33BLKSM

33" Bi-fold Look Glass Door

#### BF4TRIM33

4-piece Trim Kit, Black



## 39" Built-in Firebox

**BF39STP** | 39" Built-in Firebox  
Shown with bi-fold glass door and  
4-piece trim kit

38<sup>3</sup>/<sub>4</sub>" x 32<sup>3</sup>/<sub>4</sub>" x 15<sup>1</sup>/<sub>4</sub>" (WxHxD)  
98.4 cm x 83.2 cm x 38.7 cm

120 Volts | 1,440 Watts | 5,000 BTU  
208 Volts | 2,100 Watts | 7,200 BTU  
240 Volts | 2,700 Watts | 9,200 BTU

- Direct wire
- Operates with or without heat

### Doors & Trim Kits

#### BFGLOSS39BLK

39" Tamperproof Glass Door

#### BFSDOOR39BLK

39" Glass Swing Doors, Black Accents

#### BFDOOR39BLKSM

39" Bi-fold Look Glass Door

#### BF4TRIM39

4-piece Trim Kit, Black







## 45" Built-in Firebox

**BF45DXP** | 45" Direct-wire Firebox shown with Bi-fold Look Glass Door Kit and Black Trim Kit

44<sup>3</sup>/<sub>4</sub>" x 32<sup>3</sup>/<sub>4</sub>" x 15<sup>5</sup>/<sub>8</sub>" (WxHxD)  
113.5 cm x 83.1 cm x 38.9 cm

120 Volts | 1,440 Watts | 4,919 BTU  
208 Volts | 2,100 Watts | 7,173 BTU  
240 Volts | 2,700 Watts | 9,223 BTU

-  **Authentic brick-look interior**
-  **Direct wire**
-  **Operates with or without heat**
-  **Inner glow logs**


### Doors & Trim Kits


**BFGLASS45BLK**  
45" Tamperproof Glass Door

**BF4TRIM45**  
4-piece Trim Kit, Black



## Built-in Electric Firebox Features

 **The Original Dimplex Flame Effect™**  
A blend of technology, artistry and craftsmanship that sets the standard for realism.


 **Primary Heating**  
Option to use 208/240 volt supply for up to 9,200 BTU - use as part of primary heating plan.

 **All-season Flames**  
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.


 **Direct-wire**  
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).


\* Based on national average residential electricity rate. Rates vary.

 **Cool-touch Glass**  
Glass remains cool making it safe for children and pets in any location.

 **Frame, Wire and Finish**  
Basic installation requires fewer tradespeople, no gas lines, venting or chimney.

 **Economical**  
Economical to operate costing only pennies per hour.\*

 **Heater Disable**  
Easily disable the heater for tamperproof operation in commercial and residential installations.

 **Options**  
Door kits, trim kits and control options available.

## Door Kits



### Tamperproof Glass Door

**BFSL33DOOR** | For BFSL33  
**BFGLASS33BLK** | For BF33DXP  
**BFGLASS39BLK** | For BF39STP,  
BF39DXP  
**BFGLASS45BLK** | For BF45DXP



### Glass Bi-fold Look Door

**BFDOOR33BLKSM** | For BF33DXP  
**BFDOOR39BLKSM** | For BF39STP,  
BF39DXP  
**BFDOOR45BLKSM** | For BF45DXP



### Swing Door

**BFSDOOR33BLK** | For BF33DXP  
**BFSDOOR39BLK** | For BF39STP,  
BF39DXP

## Trim Kit



### Trim Kit

3" Black Surround Trim,  
for use as 3-piece or 4-piece

**BF4TRIM33** | For BF33DXP  
**BF4TRIM39** | For BF39STP, BF39DXP  
**BF4TRIM45** | For BF45DXP

## Control Options



**WRCPF-KIT**  
Wall Switch  
Remote  
Control Kit



**BFRC-KIT**  
3-stage Remote  
Control Kit (included  
with BFSL33)



**TS521W**  
Wall-mount  
Thermostat



**BFPLUGE**  
Plug Kit, includes  
7 ft. cord



# Plug-in Electric Fireplace Insert

# Specifications



DF123TRIMX







**DF12310** | 23" Deluxe Fireplace Insert

23 1/4" x 19 1/2" x 10 3/4" (WxHxD)  
59 cm x 49.5 cm x 27.0 cm

120 Volts | 1,375 Watts | 4,692 BTU

Expandable trim kit available  
DF123TRIMX

-  **Inner glow logs**
-  **Operates with or without heat**
-  **Built-in fan-forced heater**
-  **On/off remote**

| Product                              | Dimensions (WxHxD)  | Volts                   | Watts                         | BTU                     | Wty    |
|--------------------------------------|---|-------------------------|-------------------------------|-------------------------|--------|
| <b>RBF24DLX</b><br><b>RBF24DLXWC</b> | 25-1/4" x 22-7/8" x 12"<br>64.0 cm x 58.1 cm x 30.5 cm      | 120 V                   | 1,500 W                       | 5,118                   | 2 yrs  |
| <b>RBF30</b>                         | 31-3/4" x 26-5/8" x 12-1/8"<br>79.2 cm x 67.4 cm x 30.7 cm  | 120 V<br>208 V<br>240 V | 1,375 W<br>1,975 W<br>2,575 W | 4,400<br>6,745<br>8,794 | 2 yrs  |
| <b>RBF36</b>                         | 37-1/4" x 26-5/8" x 12-1/8"<br>94.4 cm x 67.4 cm x 30.7 cm  | 120 V<br>208 V<br>240 V | 1,375 W<br>1,975 W<br>2,575 W | 4,400<br>6,745<br>8,794 | 2 yrs  |
| <b>RBF36P</b>                        | 37-1/4" x 31-1/8" x 12-1/8"<br>94.4 cm x 78.8 cm x 30.7 cm  | 120 V<br>208 V<br>240 V | 1,375 W<br>1,975 W<br>2,575 W | 4,400<br>6,745<br>8,794 | 2 yrs  |
| <b>RBF42</b>                         | 43-3/4" x 31-1/8" x 12-1/8"<br>109.8 cm x 78.8 cm x 30.7 cm | 120 V<br>208 V<br>240 V | 1,375 W<br>1,975 W<br>2,575 W | 4,400<br>6,745<br>8,794 | 2 yrs  |
| <b>RLG20</b>                         | 23-3/4" x 19" x 12-1/2"<br>60.3 cm x 48.2 cm x 31.7 cm      | 120 V                   | 1,500 W                       | 5,118                   | 1 yr   |
| <b>RLG25</b>                         | 25-5/8" x 19" x 13"<br>65.0 cm x 48.2 cm x 32.9 cm          | 120 V                   | 1,500 W                       | 5,118                   | 2 yrs  |
| <b>PF2325HL</b><br><b>PF2325HG</b>   | 25-7/8" x 18-7/8" x 9-1/4"<br>65.7 cm x 47.9 cm x 23.3 cm   | 120 V                   | 1,500 W                       | 5,118                   | 1 yr   |
| <b>PF2325CG</b>                      | 25-7/8" x 18-7/8" x 10-1/8"<br>65.7 cm x 47.9 cm x 25.5 cm  | 120 V                   | 1,500 W                       | 5,118                   | 1 yr   |
| <b>PF3033HL</b><br><b>PF3033HG</b>   | 32-7/8" x 23-3/8" x 9-3/8"<br>83.7 cm x 59.3 cm x 23.3 cm   | 120 V                   | 1,500 W                       | 5,118                   | 1 yr   |
| <b>DF3015</b>                        | 31-1/2" x 26-1/2" x 11-1/4"<br>80.0 cm x 67.0 cm x 28.4 cm  | 120 V                   | 1,500 W                       | 5,118                   | 5 yrs  |
| <b>DF3033ST</b>                      | 33-1/8" x 23-3/8" x 9-5/8"<br>84.1 cm x 59.4 cm x 24.2 cm   | 120 V                   | 780 W                         | 2,661                   | 5 yrs  |
| <b>DF3215</b>                        | 36-1/2" x 31-3/4" x 13-1/8"<br>92.7 cm x 80.1 cm x 33.3 cm  | 120 V                   | 1,500 W                       | 5,118                   | 10 yrs |
| <b>BFSL33</b>                        | 32-3/4" x 28-1/4" x 9-1/2"<br>83.2 cm x 71.8 cm x 24.1 cm   | 120 V<br>208 V<br>240 V | 1,223 W<br>1,823 W<br>2,423 W | 4,178<br>6,227<br>8,278 | 2 yrs  |
| <b>BF33DXP</b>                       | 32-3/4" x 28-1/2" x 14-1/4"<br>83.2 cm x 73.5 cm x 36.2 cm  | 120 V<br>208 V<br>240 V | 1,440 W<br>2,100 W<br>2,700 W | 5,000<br>7,200<br>9,200 | 2 yrs  |
| <b>BF39DXP</b><br><b>BF39STP</b>     | 38-3/4" x 32-3/4" x 15-1/4"<br>98.4 cm x 83.2 cm x 38.9 cm  | 120 V<br>208 V<br>240 V | 1,440 W<br>2,100 W<br>2,700 W | 5,000<br>7,200<br>9,200 | 2 yrs  |
| <b>BF45DXP</b>                       | 44-3/4" x 32-3/4" x 15-3/8"<br>113.5 cm x 83.1 cm x 38.9 cm | 120 V<br>208 V<br>240 V | 1,440 W<br>2,100 W<br>2,700 W | 4,919<br>7,173<br>9,223 | 2 yrs  |
| <b>DF12310</b>                       | 23-1/4" x 19-1/2" x 10-3/4"<br>59.0 cm x 49.5 cm x 27.0 cm  | 120 V                   | 1,375 W                       | 4,692                   | 1 yr   |

Your authorized Dimplex dealer:

For more information and product specifications, please visit [dimplex.com](http://dimplex.com)

Visit us online at: [www.dimplex.com](http://www.dimplex.com)



Specifications, finishes and dimensions are subject to change and should be taken as a guide only. This product may be covered by one or more U.S. patents or pending patent applications. See [www.dimplex.com/en/about/patents](http://www.dimplex.com/en/about/patents) for details. © 2018 Glen Dimplex Americas.

